

Qwest 272 Sunset Special Access Measurements  
SEPTEMBER 2011

				JULY 2011				
State	Metric	Metric Name	Product	Non-Affiliates Aggregate Volume	Non-Affiliates Aggregate Result	RBOC Affiliates Aggregate Volume	RBOC Affiliates Aggregate Result	RBOC Affiliates Aggregate Parity
AZ	NITR	New Installation Trouble Report Rate	Special Access - DS0	44	90.91%			.
AZ	NITR	New Installation Trouble Report Rate	Special Access - DS1	799	93.99%	239	92.47%	-1.23
AZ	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	55	94.55%	22	90.91%	-1.36
CO	NITR	New Installation Trouble Report Rate	Special Access - DS0	11	81.82%			.
CO	NITR	New Installation Trouble Report Rate	Special Access - DS1	725	94.90%	255	96.86%	-0.7
CO	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	63	96.83%	36	100.00%	-0.85
IA	NITR	New Installation Trouble Report Rate	Special Access - DS0	1	100.00%			.
IA	NITR	New Installation Trouble Report Rate	Special Access - DS1	524	93.51%	199	98.99%	0.17
IA	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	28	100.00%	20	100.00%	.
ID	NITR	New Installation Trouble Report Rate	Special Access - DS0	18	100.00%			.
ID	NITR	New Installation Trouble Report Rate	Special Access - DS1	152	94.74%	96	96.88%	-0.77
ID	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	3	66.67%	8	100.00%	-0.63
MN	NITR	New Installation Trouble Report Rate	Special Access - DS0	23	91.30%	1	100.00%	-1.84
MN	NITR	New Installation Trouble Report Rate	Special Access - DS1	794	95.59%	173	97.11%	-0.82
MN	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	80	92.50%	23	95.65%	-1.01
MT	NITR	New Installation Trouble Report Rate	Special Access - DS0	4	100.00%			.
MT	NITR	New Installation Trouble Report Rate	Special Access - DS1	79	92.41%	37	91.89%	-1.06
MT	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	7	100.00%	4	75.00%	-1.84
ND	NITR	New Installation Trouble Report Rate	Special Access - DS0			3	100.00%	.
ND	NITR	New Installation Trouble Report Rate	Special Access - DS1	72	100.00%	5	100.00%	.
ND	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	5	100.00%	1	100.00%	.
NE	NITR	New Installation Trouble Report Rate	Special Access - DS0	10	100.00%			.
NE	NITR	New Installation Trouble Report Rate	Special Access - DS1	253	96.05%	122	95.90%	-1.03
NE	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	18	83.33%	10	90.00%	-1.07
NM	NITR	New Installation Trouble Report Rate	Special Access - DS0	17	70.59%	2	100.00%	-1.05
NM	NITR	New Installation Trouble Report Rate	Special Access - DS1	300	93.00%	94	93.62%	-1.03
NM	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	29	100.00%	2	100.00%	.
OR	NITR	New Installation Trouble Report Rate	Special Access - DS0	52	90.38%	2	100.00%	-1.56
OR	NITR	New Installation Trouble Report Rate	Special Access - DS1	515	95.73%	91	96.70%	-0.97
OR	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	45	97.78%	1	100.00%	-2.23
SD	NITR	New Installation Trouble Report Rate	Special Access - DS0	2	100.00%			.

The 'Parity' column indicates statistical significance of the differences in results (at the 95% confidence level). Negative Parity numbers indicate 'parity.' The more negative, the greater the confidence that random variation explains the difference.

Qwest 272 Sunset Special Access Measurements  
SEPTEMBER 2011

				JULY 2011					
State	Metric	Metric Name	Product	Non-Affiliates Aggregate Volume	Non-Affiliates Aggregate Result	RBOC Affiliates Aggregate Volume	RBOC Affiliates Aggregate Result	RBOC Affiliates Aggregate Parity	
SD	NITR	New Installation Trouble Report Rate	Special Access - DS1	99	95.96%	17	94.12%	-1.21	
SD	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	6	100.00%				
UT	NITR	New Installation Trouble Report Rate	Special Access - DS0						
UT	NITR	New Installation Trouble Report Rate	Special Access - DS1	455	95.60%	89	91.01%	-1.66	
UT	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	30	93.33%	4	100.00%	-1.46	
WA	NITR	New Installation Trouble Report Rate	Special Access - DS0	48	91.67%				
WA	NITR	New Installation Trouble Report Rate	Special Access - DS1	865	94.45%	121	95.87%	-0.89	
WA	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	52	100.00%	10	100.00%		
WY	NITR	New Installation Trouble Report Rate	Special Access - DS0						
WY	NITR	New Installation Trouble Report Rate	Special Access - DS1	103	94.17%	21	100.00%	-0.72	
WY	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	17	88.24%	2	50.00%	-1.85	

The 'Parity' column indicates statistical significance of the differences in results (at the 95% confidence level). Negative Parity numbers indicate 'parity.' The more negative, the greater the confidence that random variation explains the difference.

Qwest 272 Sunset Special Access Measurements  
SEPTEMBER 2011

				AUGUST 2011					
State	Metric	Metric Name	Product	Non-Affiliates Aggregate Volume	Non-Affiliates Aggregate Result	RBOC Affiliates Aggregate Volume	RBOC Affiliates Aggregate Result	RBOC Affiliates Aggregate Parity	
AZ	NITR	New Installation Trouble Report Rate	Special Access - DS0	10	100.00%	42	100.00%		.
AZ	NITR	New Installation Trouble Report Rate	Special Access - DS1	1114	94.34%	229	96.51%	-0.68	
AZ	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	44	95.45%	5	100.00%	-1.52	
CO	NITR	New Installation Trouble Report Rate	Special Access - DS0	28	92.86%				.
CO	NITR	New Installation Trouble Report Rate	Special Access - DS1	952	94.96%	241	97.93%	-0.48	
CO	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	58	96.55%	28	92.86%	-1.46	
IA	NITR	New Installation Trouble Report Rate	Special Access - DS0	4	75.00%				.
IA	NITR	New Installation Trouble Report Rate	Special Access - DS1	606	96.70%	133	94.74%	-1.3	
IA	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	21	95.24%	18	100.00%	-1.06	
ID	NITR	New Installation Trouble Report Rate	Special Access - DS0	2	100.00%				.
ID	NITR	New Installation Trouble Report Rate	Special Access - DS1	194	93.30%	160	98.13%	-0.02	
ID	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	10	100.00%	3	100.00%		.
MN	NITR	New Installation Trouble Report Rate	Special Access - DS0	53	98.11%	2	100.00%	-2.09	
MN	NITR	New Installation Trouble Report Rate	Special Access - DS1	864	96.06%	175	98.86%	-0.53	
MN	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	57	94.74%	19	94.74%	-1	
MT	NITR	New Installation Trouble Report Rate	Special Access - DS0	8	100.00%				.
MT	NITR	New Installation Trouble Report Rate	Special Access - DS1	185	97.30%	47	97.87%	-1.19	
MT	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	7	100.00%	3	100.00%		.
ND	NITR	New Installation Trouble Report Rate	Special Access - DS0			2	100.00%		.
ND	NITR	New Installation Trouble Report Rate	Special Access - DS1	156	98.72%	12	100.00%	-1.54	
ND	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	19	94.74%	3	100.00%	-1.67	
NE	NITR	New Installation Trouble Report Rate	Special Access - DS0	26	100.00%				.
NE	NITR	New Installation Trouble Report Rate	Special Access - DS1	304	96.71%	33	96.97%	-1.2	
NE	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	9	88.89%	23	100.00%	-0.65	
NM	NITR	New Installation Trouble Report Rate	Special Access - DS0	5	100.00%				.
NM	NITR	New Installation Trouble Report Rate	Special Access - DS1	400	93.50%	93	93.55%	-1.1	
NM	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	30	90.00%	14	92.86%	-1.19	
OR	NITR	New Installation Trouble Report Rate	Special Access - DS0	10	100.00%				.
OR	NITR	New Installation Trouble Report Rate	Special Access - DS1	418	92.58%	86	100.00%	0.04	
OR	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	34	97.06%	5	100.00%	-1.69	
SD	NITR	New Installation Trouble Report Rate	Special Access - DS0	5	100.00%				.

The 'Parity' column indicates statistical significance of the differences in results (at the 95% confidence level). Negative Parity numbers indicate 'parity.' The more negative, the greater the confidence that random variation explains the difference.

Qwest 272 Sunset Special Access Measurements  
SEPTEMBER 2011

				AUGUST 2011					
State	Metric	Metric Name	Product	Non-Affiliates Aggregate Volume	Non-Affiliates Aggregate Result	RBOC Affiliates Aggregate Volume	RBOC Affiliates Aggregate Result	RBOC Affiliates Aggregate Parity	
SD	NITR	New Installation Trouble Report Rate	Special Access - DS1	154	100.00%	14	100.00%	.	
SD	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	5	100.00%	5	100.00%	.	
UT	NITR	New Installation Trouble Report Rate	Special Access - DS0	4	100.00%	2	100.00%	.	
UT	NITR	New Installation Trouble Report Rate	Special Access - DS1	306	95.10%	45	100.00%	-0.57	
UT	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	25	92.00%	3	100.00%	-1.5	
WA	NITR	New Installation Trouble Report Rate	Special Access - DS0	8	75.00%			.	
WA	NITR	New Installation Trouble Report Rate	Special Access - DS1	742	96.90%	157	100.00%	-0.38	
WA	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	41	95.12%	13	100.00%	-1.11	
WY	NITR	New Installation Trouble Report Rate	Special Access - DS0	10	80.00%			.	
WY	NITR	New Installation Trouble Report Rate	Special Access - DS1	92	94.57%	26	100.00%	-0.65	
WY	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	5	80.00%	1	0.00%	-1.94	

The 'Parity' column indicates statistical significance of the differences in results (at the 95% confidence level). Negative Parity numbers indicate 'parity.' The more negative, the greater the confidence that random variation explains the difference.

Qwest 272 Sunset Special Access Measurements  
SEPTEMBER 2011

				SEPTEMBER 2011					
State	Metric	Metric Name	Product	Non-Affiliates Aggregate Volume	Non-Affiliates Aggregate Result	RBOC Affiliates Aggregate Volume	RBOC Affiliates Aggregate Result	RBOC Affiliates Aggregate Parity	
AZ	NITR	New Installation Trouble Report Rate	Special Access - DS0	11	90.91%	11	100.00%	-1	
AZ	NITR	New Installation Trouble Report Rate	Special Access - DS1	659	95.14%	205	98.54%	-0.44	
AZ	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	36	91.67%	16	93.75%	-1.22	
CO	NITR	New Installation Trouble Report Rate	Special Access - DS0	8	100.00%				.
CO	NITR	New Installation Trouble Report Rate	Special Access - DS1	709	95.20%	214	98.13%	-0.52	
CO	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	58	93.10%	12	91.67%	-1.11	
IA	NITR	New Installation Trouble Report Rate	Special Access - DS0	13	92.31%				.
IA	NITR	New Installation Trouble Report Rate	Special Access - DS1	479	96.66%	142	98.59%	-0.66	
IA	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	16	100.00%	20	100.00%		.
ID	NITR	New Installation Trouble Report Rate	Special Access - DS0						
ID	NITR	New Installation Trouble Report Rate	Special Access - DS1	106	93.40%	69	100.00%	0.17	
ID	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	15	100.00%	2	100.00%		.
MN	NITR	New Installation Trouble Report Rate	Special Access - DS0	28	92.86%	2	100.00%	-1.68	
MN	NITR	New Installation Trouble Report Rate	Special Access - DS1	897	96.54%	158	96.84%	-1.03	
MN	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	56	96.43%	18	94.44%	-1.23	
MT	NITR	New Installation Trouble Report Rate	Special Access - DS0						
MT	NITR	New Installation Trouble Report Rate	Special Access - DS1	108	92.59%	34	100.00%	-0.24	
MT	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	10	100.00%	10	100.00%		.
ND	NITR	New Installation Trouble Report Rate	Special Access - DS0						
ND	NITR	New Installation Trouble Report Rate	Special Access - DS1	83	95.18%	4	100.00%	-1.57	
ND	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	9	100.00%	2	100.00%		.
NE	NITR	New Installation Trouble Report Rate	Special Access - DS0	5	80.00%				.
NE	NITR	New Installation Trouble Report Rate	Special Access - DS1	175	93.14%	55	98.18%	-0.46	
NE	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	15	100.00%	30	96.67%	-1.43	
NM	NITR	New Installation Trouble Report Rate	Special Access - DS0	11	100.00%				.
NM	NITR	New Installation Trouble Report Rate	Special Access - DS1	278	92.09%	48	89.58%	-1.29	
NM	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	8	100.00%	3	100.00%		.
OR	NITR	New Installation Trouble Report Rate	Special Access - DS0	3	100.00%				.
OR	NITR	New Installation Trouble Report Rate	Special Access - DS1	354	94.63%	73	100.00%	-0.28	
OR	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	35	88.57%	5	100.00%	-1.11	
SD	NITR	New Installation Trouble Report Rate	Special Access - DS0	1	100.00%	2	100.00%		.

The 'Parity' column indicates statistical significance of the differences in results (at the 95% confidence level). Negative Parity numbers indicate 'parity.' The more negative, the greater the confidence that random variation explains the difference.

Qwest 272 Sunset Special Access Measurements  
SEPTEMBER 2011

				SEPTEMBER 2011					
State	Metric	Metric Name	Product	Non-Affiliates Aggregate Volume	Non-Affiliates Aggregate Result	RBOC Affiliates Aggregate Volume	RBOC Affiliates Aggregate Result	RBOC Affiliates Aggregate Parity	
SD	NITR	New Installation Trouble Report Rate	Special Access - DS1	92	98.91%	17	100.00%	-1.61	
SD	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	6	100.00%	1	100.00%	.	
UT	NITR	New Installation Trouble Report Rate	Special Access - DS0	1	0.00%			.	
UT	NITR	New Installation Trouble Report Rate	Special Access - DS1	699	94.99%	47	97.87%	-0.87	
UT	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	42	92.86%	2	100.00%	-1.68	
WA	NITR	New Installation Trouble Report Rate	Special Access - DS0	12	100.00%	2	100.00%	.	
WA	NITR	New Installation Trouble Report Rate	Special Access - DS1	579	95.34%	190	96.84%	-0.75	
WA	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	42	100.00%	13	92.31%	-2.1	
WY	NITR	New Installation Trouble Report Rate	Special Access - DS0	2	50.00%			.	
WY	NITR	New Installation Trouble Report Rate	Special Access - DS1	70	90.00%	22	100.00%	-0.33	
WY	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	5	100.00%	3	100.00%	.	

The 'Parity' column indicates statistical significance of the differences in results (at the 95% confidence level). Negative Parity numbers indicate 'parity.' The more negative, the greater the confidence that random variation explains the difference.

Qwest 272 Sunset Special Access Measurements  
SEPTEMBER 2011

State	Metric	Metric Name	Product	QTR				
				Non-Affiliates Aggregate Volume	Non-Affiliates Aggregate Result	RBOC Affiliates Aggregate Volume	RBOC Affiliates Aggregate Result	RBOC Affiliates Aggregate Parity
AZ	NITR	New Installation Trouble Report Rate	Special Access - DS0	65	92.31%	53	100.00%	0.02
AZ	NITR	New Installation Trouble Report Rate	Special Access - DS1	2572	94.44%	673	95.69%	-0.65
AZ	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	135	94.07%	43	93.02%	-1.15
CO	NITR	New Installation Trouble Report Rate	Special Access - DS0	47	91.49%			.
CO	NITR	New Installation Trouble Report Rate	Special Access - DS1	2386	95.01%	710	97.61%	-0.2
CO	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	179	95.53%	76	96.05%	-1.1
IA	NITR	New Installation Trouble Report Rate	Special Access - DS0	18	88.89%			.
IA	NITR	New Installation Trouble Report Rate	Special Access - DS1	1609	95.65%	474	97.68%	-0.47
IA	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	65	98.46%	58	100.00%	-1.04
ID	NITR	New Installation Trouble Report Rate	Special Access - DS0	20	100.00%			.
ID	NITR	New Installation Trouble Report Rate	Special Access - DS1	452	93.81%	325	98.15%	0.06
ID	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	28	96.43%	13	100.00%	-1.29
MN	NITR	New Installation Trouble Report Rate	Special Access - DS0	104	95.19%	5	100.00%	-1.48
MN	NITR	New Installation Trouble Report Rate	Special Access - DS1	2555	96.09%	506	97.63%	-0.54
MN	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	193	94.30%	60	95.00%	-1.08
MT	NITR	New Installation Trouble Report Rate	Special Access - DS0	12	100.00%			.
MT	NITR	New Installation Trouble Report Rate	Special Access - DS1	372	94.89%	118	96.61%	-0.82
MT	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	24	100.00%	17	94.12%	-1.73
ND	NITR	New Installation Trouble Report Rate	Special Access - DS0			5	100.00%	.
ND	NITR	New Installation Trouble Report Rate	Special Access - DS1	311	98.07%	21	100.00%	-1.17
ND	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	33	96.97%	6	100.00%	-1.62
NE	NITR	New Installation Trouble Report Rate	Special Access - DS0	41	97.56%			.
NE	NITR	New Installation Trouble Report Rate	Special Access - DS1	732	95.63%	210	96.67%	-0.88
NE	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	42	90.48%	63	96.83%	-0.43
NM	NITR	New Installation Trouble Report Rate	Special Access - DS0	33	84.85%	2	100.00%	-1.37
NM	NITR	New Installation Trouble Report Rate	Special Access - DS1	978	92.94%	235	92.77%	-1.03
NM	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	67	95.52%	19	94.74%	-1.09
OR	NITR	New Installation Trouble Report Rate	Special Access - DS0	65	92.31%	2	100.00%	-1.64
OR	NITR	New Installation Trouble Report Rate	Special Access - DS1	1287	94.41%	250	98.80%	-0.15
OR	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	114	94.74%	11	100.00%	-1.1
SD	NITR	New Installation Trouble Report Rate	Special Access - DS0	8	100.00%	2	100.00%	.

The 'Parity' column indicates statistical significance of the differences in results (at the 95% confidence level). Negative Parity numbers indicate 'parity.' The more negative, the greater the confidence that random variation explains the difference.

Qwest 272 Sunset Special Access Measurements  
SEPTEMBER 2011

				QTR					
State	Metric	Metric Name	Product	Non-Affiliates Aggregate Volume	Non-Affiliates Aggregate Result	RBOC Affiliates Aggregate Volume	RBOC Affiliates Aggregate Result	RBOC Affiliates Aggregate Parity	
SD	NITR	New Installation Trouble Report Rate	Special Access - DS1	345	98.55%	48	97.92%	-1.12	
SD	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	17	100.00%	6	100.00%		
UT	NITR	New Installation Trouble Report Rate	Special Access - DS0	5	80.00%	2	100.00%	-1.34	
UT	NITR	New Installation Trouble Report Rate	Special Access - DS1	1460	95.21%	181	95.03%	-1.03	
UT	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	97	92.78%	9	100.00%	-1.04	
WA	NITR	New Installation Trouble Report Rate	Special Access - DS0	68	91.18%	2	100.00%	-1.59	
WA	NITR	New Installation Trouble Report Rate	Special Access - DS1	2186	95.52%	468	97.65%	-0.44	
WA	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	135	98.52%	36	97.22%	-1.32	
WY	NITR	New Installation Trouble Report Rate	Special Access - DS0	12	75.00%				
WY	NITR	New Installation Trouble Report Rate	Special Access - DS1	265	93.21%	69	100.00%	0.1	
WY	NITR	New Installation Trouble Report Rate	Special Access - DS3 and above	27	88.89%	6	66.67%	-1.83	

The 'Parity' column indicates statistical significance of the differences in results (at the 95% confidence level). Negative Parity numbers indicate 'parity.' The more negative, the greater the confidence that random variation explains the difference.